

**CHANDIGARH STATE AIDS CONTROL SOCIETY, UT, CHD.  
INTERNATIONAL HOSTEL, SECTOR-15-A  
(NEAR PGIMER), MADHYA MARG, CHD.**

WEB SITE: [www.chandigarhsacs.org.in](http://www.chandigarhsacs.org.in)

TEL.: 2544563, 2783300 FAX:2700171, EMAIL: [chandigarhsacs@gmail.com](mailto:chandigarhsacs@gmail.com)



**WALK-IN INTERVIEW**

**SHORT TERM APPOINTMENT TOWARDS ADHOC BASIS IN CSACS**

Applicants desirous to join immediately for the following post under facility level of Chandigarh SACS, can walk-in for interview to be held **on 23.10.2019 between 11:00 A.M. to 12:00 Noon in the O/o Project Director, Chandigarh State AIDS Control Society, Sector 15-A, (Near PGIMER), Madhya Marg, Chandigarh** along with their original testimonials and identity proof. **The candidates are to report between 9:30 A.M. to 11:00 A.M.**

The selected candidates against this post will be appointed on adhoc basis for short term period for 3 months. The Qualification & Experience for the post is as below:

<b>Name of the Post</b>	<b>Eligibility Criteria</b>	<b>Salary (in ₹ Per month)</b>
Blood Bank Laboratory Technician – One	<b>Essential qualification:</b> <ul style="list-style-type: none"><li>• Degree in Medical Laboratory Technology (M.L.T.) OR</li><li>• Diploma in Medical Laboratory Technology (M.L.T.)</li><li>• Should have completed 10+2 before obtaining diploma or degree.</li><li>• The degree or diploma should be from a University/Institution recognized by the Central Government or State Government.</li><li>• The candidate should be registered with the concerned Para-Medical Council if applicable</li><li>• Knowledge of computers.</li></ul> <b>Desirable:</b> <ul style="list-style-type: none"><li>• Post Graduate degree.</li><li>• Proficiency in MS Office.</li></ul> <b>Experience:</b> <ul style="list-style-type: none"><li>• Minimum two years after degree and three years after diploma.</li></ul>	Consolidated ₹ 13,000/-

**The age limit for the above said post is 60 years.**  
**HIV+ve individuals are also encouraged to apply.**

**Sd/- PROJECT DIRECTOR**